2024 Annual Drinking Water Quality Report

CITY OF LINDSAY

We test the drinking water quality for many constituents as required by State and Federal Regulations. This report shows the results of our monitoring for the period of January 1 – December 31, 2024 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo ó hable con alguien que lo entienda bien.

We are pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the domestic drinking water and services we have delivered to you over the past year. Our goal is and always has been, to provide you with a safe and dependable supply of drinking water. Our water source comes from surface water via the Friant Kern Canal and three groundwater wells, Well Nos. 11, 14 and 15, although Well No. 11 was not in service during 2024. Well 14 and Well 15 have been used more during times of limited access to Friant-Kern Canal delivered water. Well 14 continues to detect DBCP but the results remain below the Maximum Contaminant Level (MCL). Chlorination is provided at each well. Surface water treatment is conventional filtration with chlorination.

A source water assessment was conducted for the water supply wells of the City of Lindsay water system in May, 2002. The City uses groundwater as a source of supply to augment the surface water supply during the summer months of high demand and to meet system needs during those winter months when the Friant-Kern Canal is shut down for maintenance and repair. City groundwater sources are considered most vulnerable to the following activities associated with contaminants detected in the water supply: fertilizer; pesticide and/or herbicide applications; and landfills and/or dumps. The groundwater sources are considered most vulnerable to the following activities not associated with any detected contaminants: wells (agricultural/irrigation); and waste lagoons (liquid wastes). A sanitary survey report for the Friant-Kern Canal water supply has also been completed. An update to this report was completed in 2019. A copy of the complete assessment and sanitary survey report may be viewed at the City offices. If you would like a summary of the assessment or sanitary survey report sent to you or if you have any questions about this report or concerning your water utility, please contact Ryan Heinks, Acting Director of City Services, at (559) 562-7102, ext. 4.

We want our customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held the 2nd and 4th Tuesday of each month at 6:00 p.m., in the City Council Chambers located at 251 E. Honolulu in Lindsay.

The following are definitions of some of the TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs, MRDLs and treatment techniques (TT) for contaminants that affect health along with their monitoring and reporting requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

N/A: Not applicable

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L) **ppb**: parts per billion or micrograms per liter (μ g/L) **ppt**: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picograms per liter (pg/L) **pCi/L**: picocuries per liter (a measure of radioactivity)

In general, sources of drinking water (both tap water and bottled water) may include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material and can pick up substances resulting from the presence of animals or from human activity.

Constituents that may be present in source water to contamination levels include:

- <u>Microbial contaminants</u> such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- <u>Inorganic contaminants</u> such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, agricultural application and septic systems.
- Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U. S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board – Division of Drinking Water (State Water Board/DDW) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. US Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that must provide the same protection for public health.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Lindsay is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1/800/426-4791 or at http://www.epa.gov/lead.

The Tables below lists all the drinking water constituents that were detected during the most recent samplings for the constituent. The presence of these constituents in the water does not necessarily indicate that the water poses a health risk. The State Water Board/DDW allows us to monitor for certain constituents less than once per year because the concentrations of these constituents are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, are therefore more than one year old.

	SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES								
Treatment Technique	Turbidity Performance Standards (TPS)	Lowest monthly percentage of samples that met TPS	Number of Months in Violation	Highest single turbidity measurement during the year					
Conventional Filtration Treatment with Chlorination	Turbidity of the filtered water must: Be less than or equal to 0.3 NTU in 95% of measurements in a month.	100%	0	0.29					

Turbidity (measured in NTU) is a measurement of the cloudiness of water and is an indicator of filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA									
Microbiological Contaminants			MCL	MCLG	Typical Source of Contamination				
Water Supply (Distribution System)	Highest No. of detections	No. of months in violation							
E. coli	(In the year) 0	0	(a)	0	Human and animal fecal waste				
Water Sources (Groundwater Wells)	Total No. of detections	Sample Dates (of Detections)							
E. coli	(In the year) 0	Not Applicable	0	0	Human and animal fecal waste				

⁽a) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system fails to take repeat samples following E.coli-positive routine sample or system fails to analyze total coliform-positive repeat sample for E. coli.

The City collects 4 samples per week in the water supply (distribution) system. The City collects weekly samples at each water well (water sources) when in use.

	TEST RESULTS (A)									
Lead and Copper Rule	No. of samples collected	PHG	Action Level	90 th percentile level detected	No. Sites Exceeding Action Level	Typical Source of Contamination				
Lead (ppb) 9/17/2024	60	2	15	ND	0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits				
Copper (ppm) 9/17/2024	60	0.3	1.3	0.11	0	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives				

SAMPLING RESULTS FOR SODIUM AND HARDNESS								
Chemical or Constituent (and reporting units)	MCL	PHG [MCLG]	Sample Date	Weighted Average Level Detected (B)	Range	Typical Source of Contamination		
Hardness (ppm)	None	None	2023/2024	759	270 to 837	Generally found in ground and surface water		
Sodium (ppm)	None	None	2023/2024	74	2.6 to 240	Generally found in ground and surface water		

E. Coli/Fecal Coliform: E. coli/Fecal coliforms are bacteria whose presence indicate that water may be contaminated with human or animal wastes. Total Coliform: Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, bacteria may be present.

RADIOACTIVE CONTAMINANTS									
Chemical or Constituent (and reporting units)	MCL	PHG [MCLG]	Sample Date	Weighted Average Level Detected (B)	Range	Typical Source of Contamination			
Gross Alpha Activity (pCi/L)	15	N/A	2016/2020/2022	3.1	2.23 to 6.29	Erosion of natural deposits			
Radium 228 (pCi/L)	5 (Combined Radium)	0.019	2009/2011	0.88	0.44 to 1.7	Erosion of natural deposits			
Uranium (pCi/L)	20	0.43	2022	1.29	0.7 to 8.0	Erosion of natural deposits			

	DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD									
Chemical or Constituent (and reporting units)	MCL	PHG [MCLG]	Sample Date	Weighted Average Level Detected (B)	Range (C)	Typical Source of Contamination				
Arsenic (ppb)	10	4	2023/2024	2.1	ND to 3	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes				
Barium (ppm)	1	2	2023/2024	0.20	ND to 0.49	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits				
Chromium (Hexavalent) (ppb)	10	20	2024	1.0	ND to 3.3	Erosion of natural deposits; transformation of naturally occurring trivalent chromium by natural processes and human activities such as discharges from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities.				
Fluoride (ppm)	2	1	2023/2024	0.04	ND to 0.13	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories				
Nitrate as N (ppm)	10	10	2024	2.7	ND to 7.8 (D)	Runoff and leaching from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits				
Perchlorate (ppb)	6	1	2023/2024	1.1	ND to 2.0	Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use, store, or dispose of perchlorate and its salts				
Selenium (ppb)	50	30	2023/2024	2.1	ND to 2.3	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)				

DETEC	DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD									
Chemical or Constituent (and reporting units)	MCL	Sample Date	Weighted Average Level Detected (B)	Range (C)	Typical Source of Contamination					
Chloride (ppm)	500	2024	212	1.1 to 780 (E)	Runoff/leaching from natural deposits; seawater influence					
Color (Units)	15	2023/2024	5.6	ND to 7.6 (E)	Naturally occurring organic materials					
Iron (ppb)	300	2023/2024	36	ND to 39	Leaching from natural deposits; industrial wastes					
Odor (units)	3	2023/2024	1.0	ND to 1.0	Naturally occurring organic materials					
Specific Conductance (μS/cm)	1600	2024	818	12 to 2900 (E)	Substances that form ions when in water; seawater influence					
Sulfate (ppm)	500	2023/2024	14.7	ND to 41	Runoff/leaching from natural deposits; industrial wastes					
Total Dissolved Solids (TDS) (ppm)	1000	2024	544	11 to 2000 (E)	Runoff/leaching from natural deposits					
Turbidity (units)	5	2023/2024	0.63	0.16 to 0.77	Soil runoff					

Disinfection Byproducts and Disinfectant Residuals

Districction byproducts and Districctant Residuals									
Chemical or Constituent (and reporting units)	MCL [MRDL]	MCLG [MRDLG]	Sample Date	Running Annual Average (9 sites)	Range (C)	Major Sources in Drinking Water			
TTHM [Total Trihalomethanes] (ppb)	80	N/A	2024	8.9 to 72.9	5.5 to 115.9 (F)	Byproduct of drinking water disinfection			
HAA5 [Haloacetic Acids](ppb)	60	N/A	2024	7.2 to 56.3	6 to 79(G)	Byproduct of drinking water disinfection			
Chlorine as Cl ₂ (ppm)	[4.0]	[4]	2024	0.94	0 to 1.4	Drinking water disinfectant added for treatment			

DETECTION OF SYNTHETIC ORGANIC CONTAMINANTS INCLUDING PESTICIDES & HERBICIDES									
Chemical or Constituent (and reporting units)	MCL	PHG [MCLG]	Sample Date	Weighted Average Level Detected (B)	Range (C)	Typical Source of Contamination			
Dibromochloropropane (DBCP) (ppt)	200	1.7	2023/2024	15.2	ND to 61 (H)	Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vineyards, tomatoes, and tree fruit			
Trichloropropane (1,2,3-TCP) (ppt)	5	0.7	2024	ND	N/A	Discharge from industrial and agricultural chemical factories; leaching from hazardous waste sites; used as cleaning and maintenance solvent, paint and varnish remover, and cleaning and degreasing agent; byproduct during the production of other compounds and pesticides			

Disinfection Byproduct (DBP) Precursors

Control of DBP precursors (TOC)	MCL	MCLG	Range	Major Sources in Drinking Water
Source Water	TT	N/A	1.5 to 2.2	Various natural and manmade sources
Treated Water	П	N/A	1.1 to 1.7	Various natural and manmade sources

- (A) Results reported due to regulatory requirement or detection of a constituent.
- (B) The weighted average reflects the quantity of water provided from each source of supply, be it groundwater (wells) and/or surface water along with the representative concentration for a particular constituent.
- (C) Results reported include amounts that are less than the State Water Resources Control Board Division of Drinking Water (State Water Board/DDW) required detection level for this constituent.
- (D) ABOUT NITRATE: Nitrate in drinking water at levels above 10 mg/L (as N) is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels as N that are above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.
- **(E) ABOUT SECONDARY DRINKING WATER STANDARDS:** Chloride, Specific Conductance and Total Dissolved Solids were found in the source waters at levels exceeding the Secondary MCLs. These MCLs are set to protect you against unpleasant aesthetic affects such as color, taste, odor or appearance of drinking water and/or the staining of plumbing fixtures, such as tubs and sinks, and clothing while washing. The elevated levels are typically due to naturally occurring organic materials and/or leaching of natural deposits.
- (F) ABOUT TOTAL TRIHALOMETHANES (TTHMs): Some people who drink water containing Total Trihalomethanes in excess of the MCL over many years may experience liver, kidney or central nervous system problems, and may have an increased risk of getting cancer.
- (G) ABOUT HALOACETIC ACIDS (HAA5s): Some people who drink water containing Haloacetic Acids in excess of the MCL over many years may have an increased risk of getting cancer.
- (H) ABOUT DBCP: Some people who use water containing DBCP in excess of the MCL over many years may experience reproductive difficulties and may have an increased risk of getting cancer.

Additional General Information On Drinking Water

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some constituents. The presence of constituents does not necessarily indicate that the water poses a health risk. More information about constituents, contaminant levels and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1/800/426-4791 or their website https://www.epa.gov/dwreginfo/drinking-water-regulations.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders and some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1/800/426-4791.